

a **BRAND**
that **INNOVATES**

erinox
SMART INDUCTION

www.erinox.eu

©2026 ERINOX



MODULAR EFFICIENT SMART PRECISE GREEN CUSTOM INNOVATIVE **INDUCTION WARE**

ERARGE & ERGTECH ambitiously innovate for the high-technology inductionware, smart kitchen electronics and systems for the gastronomy sector. ERARGE & ERGTECH with its leading brand **erinox**, design, develop and produce new-generation induction warmers and cookers



INDUCTION COOKING

Kitchens are modernised with **erinox** commercial induction cookware through the transition towards more precise and effective power control and energy efficiency. The delivered fast induction cooking technology is applied for counter-top, drop-in and wok solutions in industrial use. **erinox** presents cleaner, safer, cooler and efficient kitchen environments with increased saving even in air conditioning costs and lower utility bills.



erinox
SMART INDUCTION

Cooker Series

Prime Line

70 Line

90 Line

Wok Line

Griddle Line

Fryer Line

- Counter-top and drop-in customware options.
- Precisely-adjustable power levels
- Mono-phase and tri-phase options
- Maximum power mode heating at extreme speeds
- Dynamic temperature check with sensors allowing active protection mode
- Device control with digital and electro-mechanical interface (touch, membrane keys, rotary switch)
- Safety control in case of forgotten cookware on the pot
- High-quality circuitry and hardware supporting the parallel use
- Resilient against voltage changes
- High quality and durable glass ceramic specified for cooker top panels



Prime Line



220CTPR4x875B



220DIPR3500



220DIPR8x875



220CTPR2x3500R

PRIME LINE

Model	Description	Specifications	Dimensions
220DIPR3500	Drop-in	220V, 16A, 3500W	40X40X13
220CTPR3500	Counter-top	220V, 16A, 3500W	42x32X15
220DIPR4x875	Drop-in	220V, 16A, 4x875W	40X40X13
220CTPR4x875	Counter-top	220V, 16A, 4x875W	42x32X15
220DIPR2x3500	Drop-in	220V, 2x16 A, 2x3500W	60X40X13
220CTPR2x3500	Counter-top	220V, 2x16 A, 2x3500W	42x52x15
220DIPR8x875	Drop-in	220V, 2x16 A, 8x875W	60X40X13
220CTPR8x875	Counter-top	220V, 2x16 A, 8x875W	42x52x15

Refer to Page 9 for control unit selection

70 Line



220DI704x3500R0



220DI702x3500BI



220DI708x875R0

70 LINE DROP-IN

Model	Description	Specifications	Dimensions
220DI702x3500	70 Line, Drop-in	220V, 2x16 A, 2x3500W	65x33x13
220DI708x875	70 Line, Drop-in	220V, 2x16 A, 8x875W	65x33x13
220DI704x3500	70 Line, Drop-in	220V, 4x16 A, 4x3500W	65x65x13
380DI702x5000	70 Line, Drop-in	380V, 27 A, 2x5000W	65x33x13
380DI704x5000	70 Line, Drop-in	380V, 53 A, 4x5000W	65x65x13

Refer to Page 9 for control unit selection



90 Line



220DI902x3500BI



220DI902x5000R0



220DI904x3500R0

90 LINE DROP-IN

Model	Description	Specifications	Dimensions
220DI902x3500	90 Line, Drop-in	220V, 2x16 A, 2x3500W	72X36X13
220DI904x3500	90 Line, Drop-in	220V, 4x16 A, 4x3500W	72X72X13
380DI902x5000	90 Line, Drop-in	380V, 27 A, 2x5000W	72X36X13
380DI904x5000	90 Line, Drop-in	380V, 53 A, 4x5000W	72X72X13

Refer to Page 9 for control unit selection

Wok Line



220DIWOK3500RI



380DIWOK5000BI

WOK LINE

Model	Description	Specifications	Dimensions
220DIWOK3500	WOK Line, Drop-in	220V, 16A, 3500W	40X40X20
220CTWOK3500	WOK Line, Counter-top	220V, 16A, 3500W	40X40X25
380DIWOK5000	WOK Line, Drop-in	380V, 14 A, 5000W	40X40X20
380CTWOK5000	WOK Line, Counter-top	380V, 14 A, 5000W	40X40X25

Refer to Page 9 for control unit selection



Griddle/Fryer Line



220DIGRD40x40BI



380DIGRD60x40RI



220DIFRYERRI

GRIDDLE / FRYER LINE

Model	Description	Specifications	Dimensions
220DIGRD40x40	Griddle Line, Drop-in	220V, 2x16 A, 2x3500W	50x50x15
220CTGRD40x40	Griddle Line, Counter-top	220V, 2x16 A, 2x3500W	50x50x25
380DIGRD60x40	Griddle Line, Drop-in	380V, 27 A, 2x5000W	70x50x15
380CTGRD60x40	Griddle Line, Counter-top	380V, 27 A, 2x5000W	70x50x25
220DIFRYER	Fryer Line, Drop-in	220V, 2x16 A, 2x3500W	40x70x46
220CTFRYER	Fryer Line, Counter-top	220V, 2x16 A, 2x3500W	40x60x30

Refer to Page 9 for control unit selection

Control Units



Button, Inox case



Rotary Switch, Inox case

Warmer Series Drop-in Models Variants

Code	Explanation
TS	Touch Button Control, Slim Case
T	Touch Button Control, Standart Case

"ModelName"+"Variant Code"

Example : **220DI231000T**

220V, Drop-In Warmer, GS: 2/3, 1000 W,

Warmer Series Counter-Top Models Variants

Code	Explanation
R	Rotary Switch Control, Standart Case
BS	Button Control, Slim Case
B	Button Control, Standart Case

"ModelName"+"Variant Code"

Example : **220CT11650BS**

220V, Counter-Top Warmer, GS: 1/1, 650 W,

Cooker Series Prime, 70, 90, WOK, Griddle, Fryer Lines Drop-in Models Variants

Code	Explanation
RI	Rotary Switch, Inox case
R0	Rotary Switch Module without case
BI	Button, Inox case
B0	Button Module without case

"ModelName"+"Variant Code"

Example : **220DI702x3500BI**

220V, Drop-In, 70 line, 2x3500 W, Button, Inox

Cooker Series Prime, WOK, Griddle, Fryer Lines Counter-top Models Variants

Code	Explanation
R	Rotary Switch Control
B	Button Control

"ModelName"+"Variant Code"

Example : **220CTPR4x875B**

220V, Counter-Top, PRime line, 4x875 W, Button Control



INDUCTION WARMING

Serving is just as important as cooking for prestigious gastronomic experiences, **erinox** induction warming technology offers consistent holding of the right food temperature even in remotely controlled settings. Precise and efficient warming and holding enable the most proper presentation of food in the best and healthier conditions, preserving the nutritional value.



erinox
SMART INDUCTION

Counter-Top Warmer



220CT112x1000B



220CT23650BS



220CT111000R


COUNTER-TOP WARMERS

Model	Description	Specs	Dimensions
220CT23650	GN: 2/3, 650W	220V, 3A	42x32x15
12CT23650*	GN: 2/3, 650W	12V, DC	42x32x15
220CT23650BS	GN: 2/3, 650W, slim	220V, 3A	42x32x9
220CT231000	GN: 2/3, 1000W	220V, 5A	42x32x15
220CT11650	GN: 1/1, 650W	220V, 3A	42x52x15
12CT11650*	GN: 1/1, 650W	220V, 3A	42x52x15
220CT11650BS	GN: 1/1, 650W, slim	220V, 3A	42x52x9
220CT111000	GN: 1/1, 1000W	220V, 5A	42x52x15
220CT112x650	GN: 1/1, 2x650W	220V, 2x3A	42x52x15
220CT112x1000	GN: 1/1, 2x1000W	220V, 2x5A	42x52x15

Refer to Page 9 for control unit selection

*24V and 48V variants also available

- Precisely-adjustable power levels
- Active protection mode by quantified pot detection and dynamic temperature control
- High-quality circuitry and hardware supporting the parallel use
- Resilient against voltage changes



Drop-In Warmer



220DI112x650T



220DI23650TS



220DI111000T

DROP-IN WARMER

Model	Description	Specs	Dimensions
220DI23650T	GN: 2/3, 650W	220V, 3A	40x40x13
12DI23650T*	GN: 2/3, 650W	12V, DC	40x40x13
220DI23650TS	GN: 2/3, 650W, slim	220V, 3A	40x40x8
220DI231000T	GN: 2/3, 1000W	220V, 5A	40x40x13
220DI11650T	GN: 1/1, 650W	220V, 3A	60x40x13
12DI11650T*	GN: 1/1, 650W	12V, DC	60x40x13
220DI11650TS	GN: 1/1, 650W, slim	220V, 3A	60x40x8
220DI111000T	GN: 1/1, 1000W	220V, 5A	60x40x13
220DI112x650T	GN: 1/1, 2x650W	220V, 2x3A	60x40x13
220DI112x1000T	GN: 1/1, 2x1000W	220V, 2x5A	60x40x13

Refer to Page 9 for control unit selection

*24V and 48V variants also available

- High quality and durable glass ceramic specified for warmer top panels
- Models with 1/1 & 2/3 gastronorm size and single-hob & double-hob options
- Standard gastronomic chafing-dish sizes compliant with erinox warmer models



WHY erinox INDUCTIONWARE


- Smart pot detection
- Modular & precise power control
- Modular, safe & ergonomic by-design
- Capacitive touch control
- Up to %95 energy efficiency
- Fast boil (less than 1 minute for boiling 1 litre of water)
- Hygienic use
- Applicable for wok, cook table, griddle, fryer and instant boilers
- Easy maintenance and quick feedback
- One-year warranty
- Widely preferred and being used in 2000+ points
- Effective customer support
- Customware design for both cooking and warming
 - IoT-enabled monitorability
 - Adaptive power and food service management with weight control
 - Digital assistant for food service management

Industrial Kitchen Electronics & Innovations

- Embedded design & Implementation of control cards, relay cards and IoT enabled peripherals
- Industrial electronics for smart and connected ovens
- Customised Industrial solutions for dishwashers
- Digitally-twinned ice-cream machines
- Service optimisation according to consumer behaviour analysis
- Virtual digital and robotic assistant for food production
- Augmented & Virtual Reality for distant training & maintenance

Contact us
for your
custom design
needs

erinox



a **BRAND**
that **INNOVATES**

erinox
SMART INDUCTION

ERGtech

erGE

ERGTECH Research GmbH

Owenweg 22
8038
Zürich
Switzerland

www.erinox.eu
info@erinox.eu

ERGTECH SP. Z O.O.

Ul. Ryzowa 49
02-495
Warszawa
Poland

www.erinox.pl
info@erinox.pl

ERARGE R&D Center

Kent Sitesi B Blok 6. Kat Daire:26
Inkilap Mah. Küçüksu Cad. No:107
Ümraniye/İstanbul +902166318886
Turkey

www.erinoks.com.tr
info@erinoks.com.tr